Dial·g DataStar

UNITED STATES PATENT AND TRADEMARK OF
An Agency of the United Department of Commerce

| options | logoff | feedback | help |

databases   easy search

sira
Search and Information Resources Administration

Advanced Search:

Inspec - 1898 to date (INZZ)

limit

Search history:

No.	Database	Search term	Info added since	Results	
1	INZZ	(invariant OR invariance) NEAR transformation	unrestricted	1971	show titles
2	INZZ	1 WITH (derivative OR differential OR tangent)	unrestricted	49	show titles
3	INZZ	(non-linear OR nonlinear) NEAR kernel	unrestricted	459	show titles
4	INZZ	2 AND 3	unrestricted	0	-
5	INZZ	3 AND 1	unrestricted	0	-

hide | delete all search steps... | delete individual search steps...

Enter your search term(s): Search tips   ☐ Thesaurus mapping

[   ]   [whole document   ▼] *i*

Information added since: [   ] or: [none   ▼]   search
(YYYYMMDD)

☐ Documents with images

Select special search terms from the following list(s):
➔ Publication year 1950-
➔ Publication year 1898-1949
➔ Inspec thesaurus - browse headings A-G
➔ Inspec thesaurus - browse headings H-Q
➔ Inspec thesaurus - browse headings R-Z
➔ Inspec thesaurus - enter a term
➔ Classification codes A: Physics, 0-1
➔ Classification codes A: Physics, 2-3
➔ Classification codes A: Physics, 4-5
➔ Classification codes A: Physics, 6
➔ Classification codes A: Physics, 7
➔ Classification codes A: Physics, 8

Google Scholar BETA

| transformation   invariant OR invariance "nonli | | - | 2003 | | **Search** |

Scholar

Results **1 - 13** of **13** for <u>transformation</u> <u>invariant</u> OR <u>invariance</u> "<u>nonlinear</u> svm". (0.06 seconds)

[PS] <u>Incorporating invariances in nonlinear support vector machines - group of 10 »</u>   **All articles** <u>Recent articles</u>
O Chapelle, B Scholkopf - Advances in Neural Information Processing Systems, 2001 -
kyb.tuebingen.mpg.de
... that generally one can consider more than one **invariance transformation**. The multi
invariance case is usually a straight ... in [12] to train **invariant** linear SVMs ...
<u>Cited by 21</u> - <u>View as HTML</u> - <u>Web Search</u> - <u>BL Direct</u>

<u>Improving support vector machine classifiers by modifying kernel functions - group of 9 »</u>
S Amari, S Wu - Neural Networks, 1999 - elseviermathematics.com
... n and y i denotes the class index taking a value 1 or 1. A **nonlinear SVM** maps the ...
The metric is Riemannian and rotational **invariant**. ... A conformal **transformation** ...
<u>Cited by 103</u> - <u>View as HTML</u> - <u>Web Search</u> - <u>BL Direct</u>

<u>Conformal **Transformation** of Kernel Functions: A Data-Dependent Way to Improve Support Vector
Machine ... - group of 6 »</u>
S Wu, SI Amari - Neural Processing Letters, 2002 - Springer
... A **nonlinear SVM** maps the input data x into a ... As a result, the conformal **transformation**
uniformly expands ... Burges, CJC: Geometry and **Invariance** in Kernel Based ...
<u>Cited by 12</u> - <u>Web Search</u> - <u>BL Direct</u>

<u>Semi-Supervised Learning through Principal Directions Estimation - group of 5 »</u>
O Chapelle, B Scholkopf, J Weston - Advances in Neural Information Processing Systems, 2003 -
community.techlabs.accenture.com
... on a digit recognition task, the **invariance** transformations in ... kernel PCA is just
a basis **transform** in E, leaving the dot product of training points **invariant**. ...
<u>Cited by 4</u> - <u>View as HTML</u> - <u>Web Search</u>

<u>An information-geometrical method for improving the performance ofsupport vector machine classifiers -
group of 3 »</u>
S Amari, S Wu - Artificial Neural Networks, 1999. ICANN 99. Ninth ..., 1999 - ieeexplore.ieee.org
... taking a value +1 or -1. A **nonlinear SVM** maps the ... The induced metric is Euclidean,
which is translational and rotational **invariant**. ... A conformal **transformation** ...
<u>Cited by 10</u> - <u>Web Search</u> - <u>BL Direct</u>

<u>An efficient SAR ATR approach - group of 2 »</u>
P Han, R Wu, Y Wang, Z Wang - Acoustics, Speech, and Signal Processing, 2003. Proceedings. ..., 2003 - ieeexplore.ieee.org
... Second, Fourier **Transform** (FT) of ... input data due to the shift- **invariance** and symmetric ...
as the target classified directly using **nonlinear SVM** without feature ...
<u>Web Search</u>

<u>Reduction Techniques for Training Support Vector Machines - group of 2 »</u>
K Lin - 2003 - csie.ntu.edu.tw
Page 1. Reduction Techniques for Training Support Vector Machines by
Kuan-ming Lin A dissertation submitted in partial fulfillment ...
<u>Cited by 2</u> - <u>View as HTML</u> - <u>Web Search</u>

<u>Support Vector Machines for Visual Gender Classification - group of 3 »</u>
MH Yang, B Moghaddam - Pattern Recognition, 2000. Proceedings. 15th International ..., 2000 - doi.ieeecs.org
... a degree of robust- ness and relative scale **invariance**. ... computed on the basis of
wavelet **transform**, and the ... ker- nel function in a **nonlinear SVM** projects the ...
<u>Web Search</u> - <u>BL Direct</u>